

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States laten and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1430 Alexapdria Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/729,523	12/04/2000	Kinney Bacon	A-6237	A-6237 4555	
5642	7590 10/27/2005		EXAMINER		
	IC-ATLANTA, INC.	SHERKAT, AREZOO			
	TUAL PROPERTY DEPA RLOAF PARKWAY	ART UNIT	PAPER NUMBER		
LAWRENCEVILLE, GA 30044			2131		
			DATE MAILED: 10/27/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Application	Application No. Applica		ant(s)				
		09/729,52	23	BACON ET AL.					
		Examiner		Art Unit					
		Arezoo Sh		2131					
Period fo	The MAILING DATE of this communica or Reply	ation appears on the	e cover sheet with the c	orrespondence ad	ldress				
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MAI asions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commun period for reply is specified above, the maximum statute to reply within the set or extended period for reply will eply received by the Office later than three months after a patent term adjustment. See 37 CFR 1.704(b).	ILING DATE OF TH 37 CFR 1.136(a). In no evi ication. tory period will apply and w II, by statute, cause the app	IIS COMMUNICATION ent, however, may a reply be tim II expire SIX (6) MONTHS from lication to become ABANDONE	I.  lely filed  the mailing date of this c  (35 U.S.C. § 133).					
Status									
1)	Responsive to communication(s) filed	on 09 August 2005							
•		) This action is n							
· · · · · · · · · · · · · · · · · · ·	_								
-/	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Dispositi	on of Claims								
4)	4)⊠ Claim(s) <u>1-4,9-20,23,24 and 28-30</u> is/are pending in the application.								
•	4a) Of the above claim(s) is/are withdrawn from consideration.								
5)	5) Claim(s) is/are allowed.								
6)⊠	5)⊠ Claim(s) <u>1-4,9-20,23,24 and 28-30</u> is/are rejected.								
7)	_								
8)[	_								
Applicati	on Papers								
9) The specification is objected to by the Examiner.									
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority ι	ınder 35 U.S.C. § 119								
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>									
2)  Notic 3)  Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTC nation Disclosure Statement(s) (PTO-1449 or PT r No(s)/Mail Date		4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite	O-152)				

Art Unit: 2131

## Response to Amendment

This office action is responsive to Applicant's amendment received on August 9<sup>th</sup>, 2005. Claims 1-4, 9-20, 23-24, and 28-30 are pending.

## Response to Arguments

Applicant's arguments filed August 9<sup>th</sup>, 2005 have been fully considered but they are not persuasive.

Applicant argues that Hylton fails to disclose "assigning to the source of at least one packetized data stream, a first unique identifier and transmitting the first unique designator in conjunction with the multiplexed signal, wherein the first unique designator indicates the source of the at least one packetized data stream."

Examiner responds that Hylton expressly discloses, "under the MPEG II standard, incoming individual digitized and compressed video and related audio signals are packetized into respective Video and Audio Packetized Elementary Streams (PES). The video and audio PES's from a plurality of sources may be combined with similarly packetized data into a transport stream for transmission (Col. 10, lines 54-60). Hylton also discloses, "each 188 byte transport stream packet consists of two or three sections, a 4 byte packet header section, a payload section and/or an optional adaptation field. The header information includes, inter alia, a synchronization byte, a variety of different flags used in reconstruction of the frames, and a thirteen-bit program identification (PID) number. PID value 0 is reserved as an indication that the packet includes program association table data (mapping program numbers (PNs) for individual programs into

Art Unit: 2131

PID values for program maps for those programs). PID value 1 is reserved for identification of packets containing conditional access data, such as encryption information. Other program identification numbers are utilized to identify transport packets with the program source from which they originate and the type of program information contained therein" (Col. 11, lines 24-39).

Examiner respectfully maintains the rejection formulated on April 27<sup>th</sup>, 2005 as follows:

Regarding claim 1, Hylton discloses in a system with a plurality of packetized data streams, a method of designating a source of at least one packetized data stream within a multiplexed signal including at least a portion of the at least one packetized data stream, the method comprising the steps of:

assigning to the source of the at least one packetized data stream, a first unique designator (Col. 10, lines 22-67 and Col. 11, lines 1-40);

multiplexing at least the portion of the at least one packetized data stream with at least a portion of a second packetized data stream to create the multiplexed signal (Col. 24, lines 38-67 and Col. 25, lines 1-67); and

transmitting the first unique designator in conjunction with the multiplexed signal, wherein the first unique designator indicates the source of the at least one packetized data stream (i.e., for digital services, the connection block descriptor also includes either a program number or at least one MPEG II PID value needed to identify the program within the digital stream on that RF channel)(Col. 10, lines 22-67 and Col. 11, lines 1-40).

Art Unit: 2131

Regarding claim 9, Hylton discloses in a host terminal, a method of multiplexing together packets from at least two packetized data streams to enable decryption of the packets by an external conditional access module, the method comprising the steps of:

assigning to each of the sources originating the at least two packetized data streams, associated unique designators (Col. 10, lines 22-67 and Col. 11, lines 1-40);

multiplexing the packets forming portions of the at least two packetized data streams into a signal, creating an association for each packet in the signal with the unique designator of the originating packetized data stream from which each packet originated (i.e., for digital services, the connection block descriptor also includes either a program number or at least one MPEG II PID value needed to identify the program within the digital stream on that RF channel)(Col. 29, lines 39-67 and Col. 30, lines 1-35);

transmitting the signal and the associations of the packets to the external conditional access module, and decrypting, in the external conditional access module, the packets in the signal based on the associated unique designators (Col. 26, lines 1-63).

Regarding claim 11, Hylton discloses in a system with a plurality of Moving

Picture Experts Group type 2 (MPEG-2) standard transport streams and a host terminal,

a method of designating to an external conditional access module a source of at least

one packet of a first MPEG-2 transport stream with a multiplexed signal including the at

Art Unit: 2131

least one packet of the first MPEG-2 transport stream, the method comprising the steps of:

assigning to the source of the first MPEG-2 transport stream, a unique designator (Col. 10, lines 22-67 and Col. 11, lines 1-40);

creating a transport stream source indicator signal that includes the unique designator associated with the at least one packet of the first MPEG-2 transport stream, multiplexing the at least one packet of the first MPEG-2 transport stream with packets from at least a portion of a second MPEG-2 transport stream to create the multiplexed signal (Col. 11, lines 5-67 and Col. 12, lines 1-63); and

transmitting to the external conditional access module the transport stream source indicator signal in conjunction with the multiplexed signal, wherein transmission of the transport stream source indicator signal, by the unique designator, indicates the source of the at least one packet as the source of the first MPEG-2 transport stream (Col. 10, lines 22-67 and Col. 11, lines 1-40).

Regarding claim 14, Hylton discloses an external conditional access module comprising:

a host terminal interface configured to receive from a host terminal, an incoming multiplexed signal comprising at least one packetized data stream that includes a unique source address that indicates a source of a data packet inside the at least one packetized data stream (Col. 18, lines 23-67 and Col. 19-20, lines 1-67);

Art Unit: 2131

a de-multiplexer configured for de-multiplexing the incoming multiplexed signal into data packets associated with the at least one packetized data stream based on the Imique source address associated with each data packet (Col. 30, lines 4-67 and Col. 31, lines 1-15);

a controller configured for determining if decryption is allowed for the data packets associated with the least one packetized data stream and for controlling decryption parameters, and a decryptor configured for decrypting, if decryption is allowed, the data packets associated with the at least one packetized data stream using decryption parameters for the at least one packetized data stream (Col. 25, lines 65-67 and Col. 26, lines 40-67).

Regarding claim 18, Hylton discloses a host terminal that provides a multiplexed signal to an external conditional access module, wherein the multiplexed signal includes data packets from at least two packetized data streams, the host terminal comprising:

at least two tuners, each tuner for receiving one of the at least two packetized data streams (Col. 18, lines 23-67); and

a multiplexer for combining data packets from the at least two packetized data streams into the multiplexed signal, for assigning a unique source address that indicates which tuner received the packetized data stream associated with the data packets, for transmitting the multiplexed signal to the external conditional access module, and for communicating the unique source address associated with each data packet to the external conditional access module (Col. 12, lines 4-63).

Art Unit: 2131

Regarding claims 2, 10, 15, and 19, Hylton discloses wherein the packetized data stream is in a format compliant with at least one of Moving Picture Experts Group type 2 (MPEG-2) standard, Moving Picture Experts Group type 4 (MPEG-4) standard, Asynchronous Transfer Modulation (ATM) standard, and Internet Protocol (IP) standard (Col. 10, lines 22-60).

Regarding claims 3 and 4, Hylton discloses wherein the step of transmitting the first unique designator comprises the steps of:

creating a first unique designator signal that includes the first unique designator (Col. 11, lines 5-67 and Col. 12, lines 1-63); and

transmitting the first unique designator signal in conjunction with the multiplexed signal, wherein the first unique designator signal provides the first unique designator at the start of the at least one packet of the at least one packetized data stream (Col. 19, lines 1-67 and Col. 20, lines 1-36).

Regarding claim 12, Hylton discloses further including the step of decrypting, in the external conditional access module, the at least one packet based on the source of the first MPEG-2 transport stream (Col. 25, lines 65-67 and Col. 26, lines 40-67).

Art Unit: 2131

Regarding claim 13, Hylton discloses further including the step of transmitting the decrypted at least one packet from the external conditional access module to the host terminal (Col. 26, lines 63-67 and Col. 27, lines 1-15).

Regarding claim 16, Hylton discloses further comprising an encryptor for encrypting the data packets associated with the at least one packetized data stream (Col. 25, lines 60-67 and Col. 26, lines 1-40).

Regarding claim 17, Hylton discloses wherein the encryption provides copy protection for the data packets associated with the at least one packetized data stream (Col. 26, lines 40-67 and Col. 27, lines1-15).

Regarding claim 20, Hylton discloses further comprising a demultiplexer for receiving an output signal from the external conditional access module, for demultiplexing the output signal, and for providing the at least two packetized data streams as separate packetized data streams (Col. 30, lines 4-67 and Col. 31, lines 1-15);

Regarding claim 22, Hylton discloses wherein the at least one packetized data stream comprises a first encrypted signal, and wherein the source of the at least one packetized data stream comprises a first tuner (Col. 18, lines 23-67).

Art Unit: 2131

Regarding claim 23, Hylton discloses further comprising decrypting the first encrypted signal subject to a first authorization (Col. 25, lines 65-67 and Col. 26, lines 40-67).

Regarding claims 28-29, Hylton discloses a point-of-deployment (POD) module comprising:

a host terminal interface configured to receive from a host terminal, a multiplexed signal comprising a first encrypted signal together with a first transport stream source indicator signal (TSSIS) (Col. 18, lines 23-67 and Col. 19-20, lines 1-67);

a demultiplexer configured to use the first TSSIS to identify the first encrypted signal in the multiplexed signal packet (Col. 30, lines 4-67 and Col. 31, lines 1-15);

a controller configured to generate a first decryption instruction upon receiving authorization through a first authorization grant signal, and a first decryptor configured to receive from the demultiplexer, the first encrypted signal, and decrypt the first encrypted signal conditional to receiving the first decryption instruction (Col. 25, lines 65-67 and Col. 26, lines 40-67).

Regarding claim 30, Hylton discloses further comprising:

assigning to a second tuner that is a source of the second packetized data stream, a second unique designator (Col. 10, lines 22-67 and Col. 11, lines 1-40); and transmitting the second unique designator in conjunction with the multiplexed signal, whereby the second unique designator provides an identification of the second

Art Unit: 2131

tuner ms the source of the second packetized data stream (Col. 19, lines 1-67 and Col. 20, lines 1-36).

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Wasilewski, (U.S. Patent No. 5,420,866).

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Arezoo Sherkat whose telephone number is (571) 272-3796. The examiner can normally be reached on 8:00-4:30 Monday-Friday.

Art Unit: 2131

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on (571) 272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Arezoo Sherkat Patent Examiner Group 2131

A. Shaka

Oct. 21, 2005

AYAZ SHEIKH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100